



THE SYSTEM

MOCO AZ 11, shredder with slow and low noise running hexagon working shafts. Low vibration and minimal maintenance, compact design, robust welded construction, low power consumption, individually replaceable cutting discs.

THE ELECTRIC

The control of the AC geared motor is equipped with an automatic overload-dependent reverse control.

THE THROUGHPUT EXAMPLE

3 to 6 cubic meters of loose mixed waste per hour for MOCO AZ 11.

THE DIMENSIONS

| | MOCO AZ 11 | MOCO AZ 11 / 350 |
|-----------------------|----------------------|-------------------------|
| • Cutting section | 509 x 500 mm | 355 x 500 mm |
| • Exterior dimensions | 1,903 x 650 x 550 mm | 1,749 x 650 x 550 mm |
| • Weight | approx 950 kg | approx 890 kg |
| • Drive power | 7.5 to 22 kW | 7.5 to 22 kW |
| • Voltage | 400 V / 50 Hz | 400 V / 50 Hz |

| | MOCO AZ 11 / 700 | MOCO AZ 11 / 900 |
|-----------------------|-------------------------|-------------------------|
| • Cutting section | 700 x 500 mm | 910 x 500 mm |
| • Exterior dimensions | 2,094 x 650 x 550 mm | 2,304 x 650 x 550 mm |
| • Weight | approx 1.080 kg | approx 1.220 kg |
| • Drive power | 7.5 to 22 kW | 7.5 to 22 kW |
| • Voltage | 400 V / 50 Hz | 400 V / 50 Hz |

• Further cutting unit dimensions available

THE OPTIONS

- Customized hopper and frame
- Cutting thicknesses of 12, 15.5 and 19 mm, respectively upon request
- Feeding devices (MOCO ZB 01)
- Sieves to obtain a specific final particle size
- Connecting funnel for extraction units

**SHREDDING TECHNOLOGY FROM
MOCO – PERFECTLY TAILORED TO
MEET YOUR REQUIREMENTS.**